


FORM PTO-1449
INFORMATION DISCLOSURE STATEMENT


ATTY DOCKET NO.

55562 (71526)

SERIAL NO.

09/786,389

APPLICANT(S): H. ENDOU et al.

FILING DATE:

July 18, 2001

ART UNIT:

1646

UNITED STATES PATENT DOCUMENTS

EXAM. INITIAL	DOCUMENT NUMBER	DATE	NAME	CLASS	SUB CLASS	FILE DATE IF APPR

FOREIGN PATENT DOCUMENTS

DOCUMENT NUMBER	PUBLISHED DATE	COUNTRY	CLASS	SUB CLASS	TRAN YES/NO

OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC.)

MBP	CA	Nakamura et al., "4F2(CD98) Heavy Chain is Associated Covalently with an Amino Acid Transporter and Controls Intracellular Trafficking and Membrane Topology of 4F2 Heterodimer," <i>Journal of Biol. Chem.</i> 274:5 pg. 3009-3016 (1999).

Examiner: MICHAEL PARK

Date: 11-16-2004

INFORMATION DISCLOSURE CITATION

(Use several sheets if necessary)

Docket Number (Optional)

55562

Application Number

09/786,389

Applicant(s)

Endou, H., et al

Filing Date

March 3, 2001

Group Art Unit

Unassigned

*EXAMINER
INITIAL

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

abp

AA

Torrents, D., et al. "IDENTIFICATION AND CHARACTERIZATION OF A MEMBRANE PROTEIN (γ+L amino acid transporter-1) that associates with 4F2 to encode the amino acid transport activity γ+L. A candidate gene for lysinuric protein in tolerance." J. BIOL. CHEM. Vol. 273, No. 49, 1998, pages 32437-32445, XP002178117 *the whole document*

AB

Estevez, R, Camps M; Rojas, AM.; Testar X, Deves, R.; Hediger, MA.; Zorzano, A; Palacin, M; "THE AMINO ACID TRANSPORT SYSTEM γ+L/4F2hc IS A HETEROMULTIMERIC COMPLEX." Faseb, J. Vol 12, no. 13, October 1998 (1998-10), pages 1319-1329, XP002178118 *the whole document*

AC

Broer, A; Hamprecht, B; Broer, S: "DISCRIMINATION OF TWO AMINO ACID TRANSPORT ACTIVITIES IN 4F2 heavy chain-expressing Xenopus laevis oocytes." BIOCHEM J, Vol. 333, No. 3, 1 August 1988 (1998-08-01), pages 549-554, XP002178119 *the whole document*

AD

Gottesdiener, et al: "ISOLATION AND STRUCTURAL CHARACTERIZATION OF THE HUMAN 4F2 HEAVY-CHAIN GENE, AN INDUCIBLE GENE INVOLVED IN T-LYMPHOCYTE ACTIVATION" MOLECULAR AND CELLULAR BIOLOGY, Vol. 8 No 9, September 1988 (1988-09), pages 3809-3819, XP001025592Z *the whole document*

AE

Spindler, et al.: "CHARACTERIZATION OF EARLY ALDOSTERONE-INDUCED RNAs IDENTIFIED IN A6 KIDNEY EPITHELIA" Pflugers Arch, Vol.434, 1997, pages 323-333, XP00110259924 *the whole document*

AF

Broer, et al: 'ASSOCIATION OF 4F2hc WITH LIGHT CHAINS LAT1, LAT2 OR γ+LAT2 REQUIRES DIFFERENT DOMAINS" Biochem, J., Vol. 355, No. 3, 1 May 2001 (2001-05-01), pages 725-731, XP001025945 *the whole document*

mbp

AG

Wells, RG, et al; "THE 4F2 ANTIGEN HEAVY CHAIN INDUCES UPTAKE OF NEUTRAL AND DIBASIC AMINO ACIDS IN XENOPUS OOCYTES" J. Biol Chem. Vol. 267, No. 22, 5 August 1992 (1992-08-05), pages 15285-15288 XP002178120 *the whole document*

RECEIVED

JAN 07 2002

TECH. CENTER 1600/2900

EXAMINER

MICHAEL PAK

DATE CONSIDERED

11-16-04

*EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP Section 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

09/786389

IC02 Rec'd PCT/PTO 03 MAR 2001

Sheet 1 of 1

FORM PTO-1449		ATTY DOCKET NO.	SERIAL NO.
INFORMATION DISCLOSURE STATEMENT		55562	09/786,389 Not Yet Assigned
		APPLICANT(S): Endou et al.	
		FILING DATE: Herewith	ART UNIT: 1646 Not Yet Assigned
OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PERTINENT PAGES, ETC.)			
MDP	AA	Prasad et al., Huan LAT1, a Subunit of System L Amino Acid Transporter: Molecular Cloning and Transport Function" Biochem.Biophys. Res. Commun. (1999, Feb) p. 283-288.	
	AB	Tsurudome et al. "cutting Edge: Primary Structure of the Light Chain of Fusion Regulatory Protein Predicts a Protein with Multiple Transmembrane Domains That is Almost Identical to Amino Acid Transporter", J. Immunol. (1999, March) p. 2462-2466.	
	AC	Mastroberardino, L et al. "Amino-acid transport by heterodimers of 4f2hc/CD98 and members of a permease family" Nature (1998 Sept.) p. 288-291.	
	AD	Kanai et al. "Expression Cloning and Characterization of a Transporter for Large Neutral Amino Acids Activated by the Heavy Chain of 4F2 Antigen", J.Biol. Chem. (1999, Feb) p. 3009-3016.	
	AE	Haynes et al. "Characterization of a Monoclonal Antibody that Binds to Human Monocytes and a Subset of Activated Lymphocytes", J. Immunol. 1981, p. 1409-1414.	
	AF	Hemler et al. "Characterization of the Antigen Recognized by the Monoclonal Antibody: Different Molecular Forms on Human T and B Lymphoblastoid Cell Lines" J. Immunol. (1982) p. 623-628.	
	AG	Teixeira, S. Et al. "Primary Structure of Human 4F2 Antigen Heavy Chain Predicts a Transmembrane Protein with a Cytoplasmic NH2 Terminus", J. Biol. Chem (1987) p. 9574-9580.	
	AH	Lumadue, J.A. et al. "Cloning, Sequence, Analysis and expression of the large subunit of the human lymphocyte activation antigen 4F2" Proc. Natl. Acad. Sci. USA (1987) p. 9204-9208.	
	AI	Quakenbush et al., "Molecular Cloning of Complementary DNAs Encoding the Heavy Chain of the Human 4F2 Cell-Surface Antigen: A type II Membrane Glycoprotein Involved in Normal and Neoplastic Cell Growth" Proc. Natl. Acad. Sci. USA (1987) p. 6526-6530.	
	AJ	Broer, et al. "The 4F2hc surface antigen is necessary for expression of system L-like neutral amino acid-transport activity in kC6-BU-1 rat glioma cells: evidence from expression studies in Xenopus laevis oocytes" Biochem. J. (1995) p. 863-870.	
	AK	Yao et al. "Cloning and Functional Expression of a cDNA from Rat Jejunal Epithelium Encoding a Protein (4F2hc) with System y+L Amino Acid Transport Activity" Biochem J. (1998, March) p. 745-752.	
MDP	AL	Gaugitsch, H.W. et al. "A Novel Expressed, Integral Membrane Protein Linked to Cell Activation" J. Biol. Chem. (1992) p. 11267-11273.	
Examiner: MICHAEL PAK		Date: 11-16-2004	